#### **CERTIFICATE OF APPROPRIATENESS**

| Application Date:  | October 18, 2021  |
|--------------------|---|
| Applicant:         | Jeremy Dean, owner / Sam Gianukos, agent  |
| Property:          | 3013 Beauchamp St, Houston, TX, 77009; Lot 3 and 4, Block 8, Woodland Heights Subdivision.<br>The property includes a historic 2,465 square foot, one-story wood frame single family residence,<br>situated on a 10,000 square foot (100' x 100') corner lot (information obtained from HCAD).  |
| Significance:      | Contributing Craftsman Bungalow, constructed circa 1910, located in the Woodland Heights Historic District.   |
| Proposal:          | <ul> <li>Alteration &amp; Addition:</li> <li>Construct a 2,345 square foot addition to the existing home and attached garage, bringing the total square footage to 4,733 square feet of conditioned space</li> <li>Match the existing finished floor height at 2'-0" (at the home) and 6" slab on grade at garage</li> <li>The existing roof pitch is 5/12 and 7/12, the addition shall be 6/12 (first floor) and 5/12 (second floor)</li> <li>Have an eave height of 22'-9" and a maximum ridge height of 30'-4"</li> <li>Install cementitious siding with a reveal to match the original siding</li> <li>Install inset and recessed wood windows</li> </ul> |
| Public Comment:    | No public comment received.   |
| Civic Association: | No comment received.  |

Recommendation: Denial - does not satisfy criteria

HAHC Action: -


#### APPROVAL CRITERIA

#### ALTERATIONS, REHABILITATIONS, RESTORATIONS AND ADDITIONS


Sec. 33-241: HAHC shall issue a certificate of appropriateness for the alteration, rehabilitation, restoration or addition of an exterior feature of (i) any landmark, (ii) protected landmark, (iii) any building, structure or object that is part of an archaeological site, or (iv) contributing building in a historic district upon finding that the application satisfies the following criteria, as applicable:

| S           | D           | NA        |      | S - satisfies D - does not satisfy NA - not applicable  |
|-------------|-------------|-----------|------|---|
| $\boxtimes$ |             |           | (1)  | The proposed activity must retain and preserve the historical character of the property;  |
| $\boxtimes$ |             |           | (2)  | The proposed activity must contribute to the continued availability of the property for a contemporary use;   |
| $\boxtimes$ |             |           | (3)  | The proposed activity must recognize the building, structure, object or site as a product of its own time and avoid alterations that seek to create an earlier or later appearance;   |
| $\square$   |             |           | (4)  | The proposed activity must preserve the distinguishing qualities or character of the building, structure, object or site and its environment;   |
| $\bowtie$   |             |           | (5)  | The proposed activity must maintain or replicate distinctive stylistic exterior features or examples of skilled craftsmanship that characterize the building, structure, object or site;  |
|             |             |           | (6)  | New materials to be used for any exterior feature excluding what is visible from public alleys must be visually compatible with, but not necessarily the same as, the materials being replaced in form, design, texture, dimension and scale;   |
|             |             |           | (7)  | The proposed replacement of exterior features, if any, should be based on an accurate duplication of features, substantiated by available historical, physical or pictorial evidence, where that evidence is available, rather than on conjectural designs or the availability of different architectural elements from other structures; |
| $\boxtimes$ |             |           | (8)  | Proposed additions or alterations must be done in a manner that, if removed in the future, would leave unimpaired the essential form and integrity of the building, structure, object or site;  |
|             |             |           | (9)  | The proposed design for any exterior alterations or addition must not destroy significant historical, architectural, archaeological or cultural material, including but not limited to siding, windows, doors and porch elements;   |
|             | $\boxtimes$ |           | (10) | The proposed alteration or addition must be compatible with the massing, size, scale material and character of the property and the context area; and   |
|             |             | $\square$ | (11) | The distance from the property line to the front and side walls, porches, and exterior features of any proposed addition or alteration must be compatible with the distance to the property line of similar elements of existing contributing structures in the context area.   |

November 17, 2021 HP2021\_0321



#### **Building Classification**



Park

**INVENTORY PHOTO** 



**CURRENT PHOTO** 





## **CONTEXT AREA**



3003 Beauchamp

3106 Beauchamp



3006 Beauchamp



3006 Beauchamp




3012 Beauchamp





3012 Beauchamp


Houston Archaeological & Historical Commission November 17, 2021

HP2021\_0321













# Houston Archaeological & Historical Commission November 17, 2021 HP2021\_0321











#### November 17, 2021

HP2021\_0321





## WINDOW / DOOR SCHEDULE

| WINDOW SCHEDULE |                  |  |   |  |  |
|-----------------|------------------|--|---|--|--|
| QTY             | WIDTH            | HEIGHT   | DESCRIPTION   |  |  |
| 2               | 2'-10"           | 3'-0"  | SINGLE HUNG   |  |  |
| 1               | 4'-0"            | 3'-0"  | SINGLE HUNG   |  |  |
| 3               | 2'-8"            | 5'-6"  | SINGLE HUNG   |  |  |
| 4               | 3'-0"            | 5'-6"  | SINGLE HUNG   |  |  |
| 2               | 3'-4"            | 5'-0"  | SINGLE HUNG   |  |  |
| 2               | 3'-2"            | 5'-0"  | SINGLE HUNG   |  |  |
|                 | 1<br>3<br>4<br>2 | QTY     WIDTH       2     2'-10"       1     4'-0"       3     2'-8"       4     3'-0"       2     3'-4" | QTY         WIDTH         HEIGHT           2         2'-10"         3'-0"           1         4'-0"         3'-0"           3         2'-8"         5'-6"           4         3'-0"         5'-6"           2         3'-4"         5'-0" |  |  |

|      | WINDOW SCHEDULE |        |        |               |                 |  |
|------|-----------------|--------|--------|---------------|-----------------|--|
| MARK | QTY             | WIDTH  | HEIGHT | DESCRIPTION   |                 |  |
| E    | 7               | 2'-10" | 5'-6"  | SINGLE HUNG   | REMAIN TO EXIST |  |
| F    | 2               | 3'-10" | 5'-6"  | SINGLE HUNG   | REMAIN TO EXIST |  |
| 6    | 2               | 2'-10" | 5'-0"  | SINGLE HUNG   | REMAIN TO EXIST |  |
| Η    | 1               | 3'-2"  | 4'-0"  | SINGLE HUNG   | REMAIN TO EXIST |  |
|      | 1               | 1'-6"  | 6'-0"  | FIXED TRANSOM | REMAIN TO EXIST |  |
|      | 1               | 2'-10" | 3'-0"  | SINGLE HUNG   | TO DEMOLISH     |  |
| K    | 6               | 3'-2"  | 5'-0"  | SINGLE HUNG   | TO DEMOLISH     |  |
|      | 1               | 3'-8"  | 4'-0"  | SINGLE HUNG   | TO DEMOLISH     |  |
| M    | 2               | 3'-4"  | 5'-0"  | SINGLE HUNG   | TO DEMOLISH     |  |
|      | 1               | 2'-0"  | 5'-0"  | SINGLE HUNG   | TO DEMOLISH     |  |
| P    | 1               | 2'-8"  | 5'-0"  | SINGLE HUNG   | TO DEMOLISH     |  |
| R    | 1               | 2'-10" | 5'-6"  | SINGLE HUNG   | TO DEMOLISH     |  |

| DOOR SCHEDULE |     |           |        |  |  |
|---------------|-----|-----------|--------|--|--|
| DOOR<br>NO.   | QTY | WIDTH     | HEIGHT | DESCRIPTION                                  |  |
| 1             | 1   | (2) 3'-0" | 8'-0"  | (2)3080 EXTERIOR WITH GLASS PANEL, PAIR DOOR |  |
| 2             | 1   | 18'-0"    | 8'-0"  | GARAGE DOOR                                  |  |
| 3             | 1   | 3'-0"     | 8'-0"  | EXTERIOR WITH GLASS PANEL DOOR               |  |
| 4             | 2   | 12'-0"    | 8'-0"  | EXTERIOR 4 PANEL SLIDING GLASS DOOR          |  |
| 5             | 1   | 10'-0"    | 7'-0"  | EXTERIOR 4 PANEL SLIDING GLASS DOOR          |  |
| 5             | 2   | 3'-0"     | 8'-0"  | INTERIOR DOOR                                |  |
| 6             | 1   | 2'-8"     | 8'-0"  | INTERIOR DOOR                                |  |
| 7             | 5   | 2'-6"     | 8'-0"  | INTERIOR DOOR                                |  |
| 8             | 1   | (2) 2'-0" | 8'-0"  | (2)2080 INTERIOR, PAIR DOOR                  |  |
| 9             | 1   | (2) 1'-6" | 8'-0"  | (2)1680 INTERIOR, PAIR DOOR                  |  |
| 10            | 3   | 2'-6"     | 7'-0"  | INTERIOR DOOR                                |  |
| 11            | 3   | 2'-8"     | 7'-0"  | INTERIOR DOOR                                |  |
| 12            | 2   | 2'-6"     |        | INTERIOR DOOR, CUT TO FIT (ATTIC ACCESS)     |  |

| DOOR SCHEDULE |     |           |        |                               |                 |
|---------------|-----|-----------|--------|-------------------------------|-----------------|
| DOOR<br>NO.   | QTY | WIDTH     | HEIGHT | DESCRIPTION                   |                 |
| 13            | 1   | 2'-8"     | 7'-0"  | EXTERIOR DOOR                 | REMAIN TO EXIST |
| 14            | 1   | 3'-0"     | 7'-0"  | EXTERIOR DOOR WITH            | REMAIN TO EXIST |
| 14            | 1   | 3'-0"     | 1'-6"  | TRANSOM WITH 6" MULE          | REMAIN TO EXIST |
| 15            | 1   | (2) 2'-6" | 7'-0"  | (2)2670 INTERIOR, PAIR DOOR   | REMAIN TO EXIST |
| 16            | 1   | (2) 3'-0" | 8'-0"  | (2)3070 INTERIOR, PAIR DOOR   | REMAIN TO EXIST |
| 17            | 3   | 2'-8"     | 8'-0"  | INTERIOR DOOR                 | REMAIN TO EXIST |
| 18            | 1   | (2) 2'-8" | 8'-0"  | (2)2880 INTERIOR, BIFOLD PAIR | REMAIN TO EXIST |
| 19            | 1   | 2'-8"     | 7'-0"  | INTERIOR DOOR                 | REMAIN TO EXIST |
| 20            | 1   | 2'-0"     | 7'-0"  | INTERIOR DOOR                 | REMAIN TO EXIST |
| 21            | 7   | 2'-8"     | 7'-0"  | INTERIOR DOOR                 | TO DEMOLISH     |
| 22            | 1   | 2'-0"     | 7'-0"  | INTERIOR DOOR                 | TO DEMOLISH     |
| 23            | 2   | 2'-8"     | 7'-0"  | EXTERIOR DOOR                 | TO DEMOLISH     |
| 24            | 1   | 2'-6"     | 7'-0"  | INTERIOR DOOR                 | TO DEMOLISH     |
| 25            | 2   | 8'-0"     | 7'-0"  | EXTERIOR GARAGE DOOR          | TO DEMOLISH     |

| NEW LOT CALCULATION<br>IMPERVIOUS PERCENT |               |
|---|---------------|
| HOUSE                                     | 4,538 SQ.FT.  |
| DRIVEWAY                                  | 745 SQ.FT.    |
| TOTAL IMPERVIOUS COVER                    | 5,283 SQ.FT.  |
|   |               |
| LOT AREA                                  | 10,000 SQ.FT. |
| PERCENTAGE IMPERVIOUS AREA                | 52.38%        |

| AREA CALCULATIONS |  |   |  |  |  |  |
|-------------------|--|---|--|--|--|--|
| EXISTING          | +/-  | REDESIGNED  |  |  |  |  |
| 1829 SQ.FT.       | +1431  | 3260 SQ.FT.   |  |  |  |  |
| 636 SQ.FT.        | +837   | 1473 SQ.FT.   |  |  |  |  |
| 2465 SQ.FT.       | +2268  | 4733 SQ.FT.   |  |  |  |  |
|                   |  |   |  |  |  |  |
| 67 SQ.FT.         | +81  | 148 SQ.FT.  |  |  |  |  |
| 164 SQ.FT.        | -  | 164 SQ.FT.  |  |  |  |  |
| -                 | +300   | 300 SQ.FT.  |  |  |  |  |
| 610 SQ.FT.        | +54  | 664 SQ.FT.  |  |  |  |  |
|                   | +119   | 119 SQ.FT.  |  |  |  |  |
| 841 SQ.FT.        | +554   | 1395 SQ.FT.   |  |  |  |  |
|                   |  |   |  |  |  |  |
| 3306 SQ.FT.       | +2822  | 6128 SQ.FT.   |  |  |  |  |
|                   | EXISTING<br>1829 SQ.FT.<br>636 SQ.FT.<br>2465 SQ.FT.<br>67 SQ.FT.<br>164 SQ.FT.<br>-<br>610 SQ.FT.<br>841 SQ.FT. | EXISTING       +/-         1829       SQ.FT.       +1431         636       SQ.FT.       +837         2465       SQ.FT.       +2268         67       SQ.FT.       +81         164       SQ.FT.       -         -       +300       610       SQ.FT.         610       SQ.FT.       +54         +119       841       SQ.FT.       +554 |  |  |  |  |